

Bibliography

- [1] O. Aharony, S.S. Gubser, J. Maldacena, H. Ooguri and Y. Oz, “Large N Field Theories, String Theory and Gravity”, *Phys.Rept.* **323** (2000) 183-386, [hep-th/9905111](#)
- [2] P.C. Aichelburg and R.U. Sexl, “On the Gravitational Field of a Massless Particle”, *Gen. Rel. Grav.* **2** (1971) 303-312
- [3] D. Amati, M. Ciafaloni and G. Veneziano, “Superstring Collisions at Planckian Energies”, *Phys. Lett.* **B197** (1987) 81;
D. Amati, M. Ciafaloni and G. Veneziano, “Classical and Quantum Gravity Effects from Planckian Energy Superstring Collisions”, *Int. J. Mod. Phys.* **A3** (1989) 1615-1661
- [4] D. Amati and C. Klimcik, “Strings in a Shock Wave Background and Generation of Curved Geometry from Flat-Space String Theory”, *Phys. Lett.* **B** 210 (1988) 92-96
- [5] D. Amati and C. Climcik, “Nonperturbative Computation of the Weyl Anomaly for a Class of Nontrivial Backgrounds”, *Phys. Lett.* **B** 210 (1988) 92-96
- [6] L. Anchordoqui, C. Nunez and K. Olsen, “Quantum Cosmology and AdS/CFT”, *JHEP* **0010** (2000) 050, [hep-th/0007064](#)
- [7] G. Arcioni, S. de Haro and M. O’Loughlin, “Boundary description of Planckian scattering in curved spacetimes”, [hep-th/0104039](#), submitted to *JHEP*
- [8] I.Ya. Aref’eva and I.V. Volovich, “On the Breaking of Conformal Symmetry in the AdS/CFT Correspondence”, *Phys.Lett.* **B433** (1998) 49-55, [hep-th/9804182](#)
- [9] S.J. Avis, C.J. Isham and D. Storey, “Quantum field theory in anti-de Sitter spacetime”, *Phys. Rev.* **D18** (1978) 3565-3576
- [10] V. Balasubramanian, J. de Boer, E. Keski-Vakkuri, S.F. Ross, “Supersymmetric Conical Defects: Towards a string theoretic description of black hole formation”, [hep-th/0011217](#)
- [11] V. Balasubramanian and P. Kraus, “A stress tensor for anti-de Sitter gravity,” *Commun. Math. Phys.* **208** (1999) 413-428, [hep-th/9902121](#)
- [12] V. Balasubramanian, P. Kraus and A. Lawrence, “Bulk vs. Boundary Dynamics in Anti-de Sitter Spacetime”, *Phys. Rev.* **D59** (1999) 046003, [hep-th/9805171](#)

- [13] V. Balasubramanian, P. Kraus, A. Lawrence and S. Trivedi, “Holographic Probes of Anti-de Sitter Spacetimes”, *Phys. Rev.* **D59** (1999) 104021, [hep-th/9808017](#)
- [14] T. Banks and M. O’Loughlin, “Two-dimensional quantum gravity in Minkowski Space”, *Nucl. Phys.* **B362** (1991) 649
- [15] K. Bautier, “Diffeomorphisms and Weyl transformations in AdS_3 gravity”, [hep-th/9910134](#)
- [16] K. Bautier, F. Englert, M. Rooman and Ph. Spindel, “The Fefferman-Graham Ambiguity and AdS Black Holes”, *Phys. Lett.* **B479** (2000) 291-298, [hep-th/0002156](#)
- [17] R. Beig, “Integration of Einstein’s equations near spatial infinity”, *Proc. R. Soc. Lond.* **A 391** (1984) 295-304
- [18] R. Beig and B.G. Schmidt, “Einstein’s equations near Spatial Infinity”, *Commun. Math. Phys.* **87** (1982) 65-80
- [19] J. Bekenstein, “Black Holes and Entropy”, *Phys. Rev.* **D 7** (1973) 2333-2346
- [20] N.D. Birrell and P.C.W. Davies, “Quantum fields in curved space”, Cambridge University Press 1982
- [21] S.K. Blau, E.I Guendelman and A.H. Guth, “Dynamics of False-vacuum bubbles”, *Phys. Rev.* **D35** (1987) 1747
- [22] R. Bousso, “Holography in general space-times”, *JHEP* **9906** (1999) 28, [hep-th/9902022](#).
- [23] R. Britto-Pacumio, A. Strominger and A. Volovich, “Holography for Coset Spaces”, *JHEP* **9911** (1999) 013, [hep-th/9905211](#)
- [24] J.D. Brown and M. Henneaux, “Central charges in the canonical realization of asymptotic symmetries: An example from three-dimensional gravity”, *Commun. Math. Phys.* **104** (1986) 207-226
- [25] J.D. Brown and J.W. York, “Quasilocal energy and conserved charges derived from the gravitational action”, *Phys. Rev.* **D47** (1993), 1407-1419
- [26] C.G. Callan, D. Friedan, E.J. Martinec and M.J. Perry, “Strings in Background Fields”, *Nucl. Phys.* **B262** (1985) 593
- [27] A. Cappelli and A. Coste, “On the stress tensor of conformal field theories in higher dimensions”, *Nucl. Phys.* **B314** (1989) 707-740
- [28] G. Chalmers and K. Schalm, “Holographic Normal Ordering and Multi-particle States in the AdS/CFT Correspondence”, *Phys. Rev.* **D61** (2000) 046001, [hep-th/9901144](#)
- [29] C. Csaki, J. Erlich and T.J. Hollowood, “Quasilocalization of gravity by resonant modes”, *Phys. Rev. Lett.* **84** (2000) 5932-5935, [hep-th/0002161](#)

- [30] J. de Boer, E. Verlinde and H. Verlinde, “On the Holographic Renormalization Group”, *JHEP* **0008** (2000) 003, [hep-th/9912012](#)
- [31] N.S. Deger and A. Kaya, “AdS/CFT and Randall-Sundrum Model Without a Brane”, [hep-th/0010141](#)
- [32] S. de Haro, “Non-Commutative Black Hole Algebra and String Theory from Gravity”, *Class. and Quant. Grav.* **15** (1998) 519-535 [gr-qc/9707042](#)
- [33] S. de Haro, “Planckian Scattering and Black Holes”, *JHEP* **9810** (1998) 023, [gr-qc/9806028](#)
- [34] S. de Haro, A. Sinkovics and K. Skenderis, in preparation
- [35] S. de Haro, K. Skenderis and S.N. Solodukhin, “Holographic Reconstruction of Spacetime and Renormalization in the AdS/CFT Correspondence”, *Commun. Math. Phys.* **217** (2001) 595-622, [hep-th/0002230](#)
- [36] S. de Haro, K. Skenderis and S.N. Solodukhin, “Gravity in Warped Compactifications and the Holographic Stress Tensor”, to appear in the proceedings of the Fradkin and the Gurse memorial conferences in *Class. and Quant. Grav.*, [hep-th/0011230](#)
- [37] S. de Haro and J. van Dongen, “Vermoedens”, *Ned. Tijdschr. v. Natuurk.* **64/11** (1998) 284-288
- [38] E. D’Hoker, D.Z. Freedman and W. Skiba, “Field Theory Tests for Correlators in the AdS/CFT Correspondence”, *Phys. Rev.* **D59** (1999) 045008, [hep-th/9807098](#)
- [39] Discussions with H. Verlinde
- [40] T. Dray and G. ’t Hooft, “The Gravitational Shock Wave of a Massless Particle”, *Nucl. Phys.* **B 253** (1985) 173-188
- [41] M.J. Duff and J.T. Liu, “Complementarity of the Maldacena and Randall-Sundrum Pictures”, *Phys. Rev. Lett.* **85** (2000) 2052-2055, [hep-th/0003237](#)
- [42] G. Dvali, G. Gabadadze and M. Porrati, “Metastable gravitons and infinite volume extra dimensions”, *Phys. Lett.* **B484** (2000), 112-118, [hep-th/0002190](#)
- [43] R. Emparan, C.V. Johnson and R.C. Myers, “Surface Terms as Counter-terms in the AdS/CFT Correspondence”, *Phys. Rev.* **D60** (1999) 104001, [hep-th/9903238](#)
- [44] C. Fefferman and C. Robin Graham, “Conformal Invariants”, in *Elie Cartan et les Mathématiques d’aujourd’hui* (Astérisque, 1985) 95
- [45] W. Fischler, A. Kashani-Poor, R. McNees and S. Paban, “The Acceleration of the Universe, a Challenge for String Theory”, [hep-th/0104181](#)
- [46] D.Z. Freedman, S.D. Mathur, A. Matusis and L. Rastelli, “Correlation functions in the CFT(d)/AdS(d+1) correspondence”, *Nucl. Phys.* **B546** (1999) 96-118, [hep-th/9804058](#)

- [47] M.D. Freeman, C.N. Pope, M.F. Sohnius and K.S. Stelle, “Higher Order Sigma Model Counter-terms and the Effective Action for Superstrings”, *Phys. Lett.* B178 (1986) 199
- [48] A. Galindo and P. Pascual, “Quantum Mechanics”, Springer, Berlin 1990-1991
- [49] J. Garriga and E. Verdaguer, “Scattering of Quantum Particles by Gravitational Plane Waves”, *Phys. Rev.* **D43** (1991) 391-401
- [50] G.W. Gibbons, “Quantized Fields Propagating in Plane-Wave Spacetimes”, *Commun. Math. Phys.* **45** (1975) 191-202
- [51] G.W. Gibbons and S.W. Hawking, “Action integrals and partition functions in quantum gravity”, *Phys. Rev.* **D15** (1977) 2752
- [52] G.W. Gibbons, D.N. Page and C.N. Pope, “Einstein metrics on S^3 , R^3 and R^4 bundles”, *Commun. Math. Phys.* **127** (1990) 529
- [53] S.B. Giddings, “The boundary S-matrix and the AdS to CFT dictionary”, *Phys. Rev. Lett.* **83** (1999) 2707-2710, [hep-th/9903048](#).
- [54] S.B. Giddings and E. Katz, “Effective theories and black hole production in warped compactifications”, [hep-th/0009176](#)
- [55] S. B. Giddings, E. Katz, and L. Randall, “Linearized Gravity in Brane Backgrounds,” *JHEP* **0003** (2000) 023, [hep-th/0002091](#)
- [56] S.B. Giddings, M. Lippert, “Precursors, black holes and a locality bound”, [hep-th/0103231](#).
- [57] C.R. Graham, “Volume and Area Renormalisations for Conformally Compact Einstein Metrics”, to appear in *Proc. of 19th Winter School in Geometry and Physics*, Srni, Czech Republic, Jan. 1999, [math.DG/9909042](#)
- [58] C. R. Graham and J.M. Lee, “Einstein Metrics with Prescribed Conformal Infinity on the Ball”, *Adv. Math.* **87** (1991) 186
- [59] C. R. Graham and E. Witten, ”Conformal Anomaly Of Submanifold Observables In AdS/CFT Correspondence”, *Nucl. Phys.* **B546** (1999) 52-64, [hep-th/9901021](#)
- [60] R. Gregory, V. A. Rubakov, and S. M. Sibiryakov, “Opening Up Extra Dimensions at Ultra-Large Scales,” *Phys. Rev. Lett.* **84** (2000) 5928, [hep-th/0002072](#)
- [61] M.T. Grisaru and D. Zanon, “Sigma Model Superstring Corrections to the Einstein-Hilbert Action”, *Phys. Lett.* **B177** (1986) 347
- [62] S.S. Gubser, “AdS/CFT and gravity”, [hep-th/9912001](#)
- [63] D. J. Gross and E. Witten, “Superstring Modifications of Einstein’s Equations”, *Nucl. Phys.* B277(1986) 1

- [64] S. Gubser, I. Klebanov and A. Polyakov, “Gauge Theory Correlators from Non-Critical String Theory”, *Phys. Lett.* **B428** (1998) 105-114, [hep-th/9802109](#)
- [65] S.W. Hawking, “Particle Creation by Black Holes”, *Commun. Math. Phys.* **43** (1975) 199-220
- [66] S.W. Hawking, “Breakdown of Predictability in Gravitational Collapse”, *Phys. Rev.* **D14** (1976) 2460-2473
- [67] S. Hellerman, N. Kaloper and L. Susskind, “String Theory and Quintessence”, [hep-th/0104180](#)
- [68] S.W. Hawking, T. Hertog and H.S. Reall, “Brane New World”, *Phys. Rev.* **D62** (2000) 043501, [hep-th/0003052](#)
- [69] S.W. Hawking and D. Page, “Thermodynamics of black holes in anti-de Sitter space”, *Commun. Math. Phys.* **87** (1983) 577
- [70] M. Henningson and K. Skenderis, “The holographic Weyl anomaly”, *JHEP* **9807** (1998) 023, [hep-th/9806087](#); “Holography and the Weyl Anomaly”, [hep-th/9812032](#)
- [71] G. Horowitz and A.R. Steif, “Spacetime Singularities in String Theory”, *Phys. Rev. Lett.* **64** (1990) 260-263
- [72] G.T. Horowitz and N. Itzhaki, “Black Holes, Shock Waves, and Causality in the AdS/CFT Correspondence”, *JHEP* **9902** (1999) 010, [hep-th/9901012](#)
- [73] D. Kabat and M. Ortiz, “Eikonal quantum gravity and planckian scattering”, *Nucl. Phys.* **B388** (1992) 570-592
- [74] D. Kabat, “Validity of the Eikonal Approximation”, *Comments Nucl. Part. Phys.* **20** (1992) 325-336, [hep-th/9204103](#)
- [75] C. Imbimbo, A. Schwimmer, S. Theisen and S. Yankielowicz, “Diffeomorphisms and Holographic Anomalies”, *Class. Quant. Grav.* **17** (1990) 1129-1138, [hep-th/9910267](#)
- [76] R. Jackiw, D. Kabat and M. Ortiz, “Electromagnetic Fields of a Massless Particle and the Eikonal”, *Phys. Lett.* **B277** (1992) 148-152 [hep-th/9112020](#)
- [77] R. Kallosh and A. Rajaraman, “Vacua of M-Theory and String Theory”, *Phys. Rev.* **D58** (1998) 125003, [hep-th/9805041](#)
- [78] A. Kempf and G. Mangano, “Minimal Length Uncertainty Relation and Ultraviolet Regularisation”, *Phys. Rev.* **D55** (1997) 7909-7920;
A. Kempf, “On the Structure of Space-Time at the Planck Scale”, Presented at International School of Subnuclear Physics: 36th Course: From the Planck Length to the Hubble Radius, Erice, Italy, 29 Aug - 7 Sep 1998. In “Erice 1998, From the Planck length to the Hubble radius”, 613-622, [hep-th/9810215](#)
- [79] J. Khoury and Herman Verlinde, “On Open-Closed String Duality”, [hep-th/0001056](#)

- [80] Y. Kiem, H. Verlinde and E. Verlinde, “Black Hole Horizons and Complementarity”, *Phys. Rev.* **D52** (1995) 7053-7065, [hep-th/9502074](#)
- [81] I.R. Klebanov and E. Witten, “AdS/CFT Correspondence and Symmetry Breaking”, *Nucl.Phys.* **B556** (1999) 89-114, [hep-th/9905104](#)
- [82] K. Krasnov, “3D Gravity, Point Particles and Liouville Theory”, [hep-th/0008253](#)
- [83] P. Kraus, F. Larsen and R. Siebelink, “The Gravitational Action in Asymptotically AdS and Flat Spacetimes”, *Nucl. Phys.* **B563** (1999) 259-278, [hep-th/9906127](#)
- [84] M. Kunzinger and R. Steinbauer, “A note on the Penrose junction conditions”, *Class. Quant. Grav.* **16** (1999) 1255-1264, [gr-qc/9811007](#)
- [85] D.A. Lowe and L. Thorlacius, “AdS/CFT and the Information Paradox”, *Phys. Rev.* **D60** (1999) 104012, [hep-th/9903237](#)
- [86] M. Maggiore, *Phys. Lett.* **B 304** (1993) 65 [hep-th/9301067](#)
- [87] J.M. Maldacena, “The Large N Limit of Superconformal Field Theories and Supergravity”, *Adv. Theor. Math. Phys.* **2** (1998) 231-252, [hep-th/9802150](#).
- [88] R. Mann, “Misner string entropy”, *Phys. Rev.* **D61** (2000), 084013, [hep-th/9904148](#)
- [89] H.-J. Matschull, “Black Hole Creation in (2+1)-Dimensions”, *Class. Quant. Grav.* **16** (1999) 1069-1095, [gr-qc/9809087](#)
- [90] W. Mück and K.S. Viswanathan, “Conformal Field Theory Correlators from Classical Scalar Field Theory on AdS_{d+1} ”, *Phys. Rev.* **D58** (1998) 041901, [hep-th/9804035](#)
- [91] R.C. Myers, “Stress Tensors and Casimir Energies in the AdS/CFT Correspondence”, *Phys. Rev.* **D60** (1999) 046002, [hep-th/9903203](#)
- [92] M. Nishimura and Y. Tanii, “Super Weyl Anomalies in the AdS/CFT Correspondence”, *Int. J. Mod. Phys.* **A14** (1999) 3731-3744, [hep-th/9904010](#)
- [93] S. Nojiri and S.D. Odintsov, “Conformal Anomaly for Dilaton Coupled Theories from AdS/CFT Correspondence”, *Phys. Lett.* **B444** (1998) 92-97, [hep-th/9810008](#)
- [94] A. Peet and J. Polchinski, “UV/IR Relations in AdS Dynamics”, *Phys. Rev.* **D59** (1999) 065011, [hep-th/9809022](#)
- [95] R. Penrose, *The geometry of impulsive gravitational waves*, in *General Relativity: Papers in honour of J. L. Synge*, L. O’Raifeartaigh, Clarendon Press, Oxford 1972
- [96] A. Petkou and K. Skenderis, “A non-renormalisation theorem for conformal anomalies”, *Nucl. Phys.* **B561** (1999) 100-116, [hep-th/9906030](#)
- [97] J. Polchinski, “S-matrices from AdS Space-Time”, [hep-th/9901076](#)

- [98] Polchinski, Susskind and Toumbas, “Negative Energy, Superluminality and Holography”, *Phys. Rev.* **D60** (1999) 084006, [hep-th/9903228](#);
“Space-Time Non-Commutativity and Causality”, *JHEP* **0006** (2000) 044, [hep-th/0005015](#)
- [99] L. Randall and R. Sundrum, “A Large Mass Hierarchy from a Small Extra Dimension”, *Phys. Rev. Lett.* **83** (1999) 3370-3373, [hep-ph/9905221](#);
“An Alternative to Compactification”, *Phys. Rev. Lett.* **83** (1999) 4690-4693, [hep-th/9906064](#)
- [100] T. Shiromizu, K. Maeda and M. Sasaki, “The Einstein Equations on the 3-Brane World”, *Phys. Rev.* **D62** (2000) 024012, [gr-qc/9910076](#)
- [101] K. Skenderis, “Asymptotically Anti-de Sitter Spacetimes and their Stress Energy Tensor”, to appear in the proceedings of Strings 2000, [hep-th/0010138](#)
- [102] K. Skenderis and S.N. Solodukhin, “Quantum effective action from the AdS/CFT correspondence”, *Phys. Lett.* **B432** (2000) 316-322, [hep-th/9910023](#)
- [103] S.N. Solodukhin, “How to make the gravitational action on non-compact space finite”, *Phys. Rev.* **D62** (2000), 044016, [hep-th/9909197](#)
- [104] R. Steinbauer, *J. Math. Phys.* **39** (1998) 2201 [gr-qc/9710119](#)
- [105] L. Susskind, “The World as a Hologram”, *J. Math. Phys.* **36** (1995) 6377, [hep-th/9409089](#)
- [106] L. Susskind, “Holography in the Flat Space Limit”, [hep-th/9901079](#)
- [107] L. Susskind, L. Thorlacius and J. Uglum, “The Stretched horizon and Black Hole Complementarity”, *Phys. Rev.* **D48** (1993) 3743-3761, [hep-th/9306069](#)
- [108] L. Susskind and N. Toumbas, “Wilson Loops as Precursors”, *Phys. Rev.* **D61** (2000) 044001, [hep-th/9909013](#)
- [109] L. Susskind and E. Witten, “The Holographic Bound in Anti-de Sitter Space”, [hep-th/9805114](#)
- [110] M. Taylor-Robinson, “Holography for degenerate boundaries”, [hep-th/0001177](#)
- [111] M. Taylor-Robinson, “More on counter-terms in the gravitational action and anomalies”, [hep-th/0002125](#)
- [112] G. 't Hooft, “Dimensional Reduction in Quantum Gravity”, in *Salamfest*, Trieste, 1993, p. 284, [gr-qc/9310026](#)
- [113] G. 't Hooft, “The Scattering Matrix Approach for the Quantum Black Hole — an Overview”, *Int. J. Mod. Phys. A* **11** 4623 [gr-qc/9607022](#)
- [114] G. 't Hooft, “Graviton Dominance in Ultra-High-Energy Scattering”, *Phys. Lett.* **B 198** (1987) 61-63

- [115] G. 't Hooft, "Horizon Operator Approach to Black Hole Quantization", to appear in the *Proceedings of The Black Hole 25 Years After, Santiago, Chile, 17-21 January 1994*, [gr-qc/9402037](#)
- [116] G. 't Hooft, "TransPlanckian Particles and the Quantization of Time", *Class. Quant. Grav.* **16** (1999) 395-405, [gr-qc/9805079](#)
- [117] G. 't Hooft, "Quantum Gravity as a Dissipative Deterministic System", *Class. Quant. Grav.* **16** (1999) 3263-3279, [gr-qc/9903084](#); "Determinism and Dissipation in Quantum Gravity", Erice lecture, [hep-th/0003005](#)
- [118] G. 't Hooft, "A Planar Diagram Theory for Strong Interactions", *Nucl. Phys.* **461** (1974) 179
- [119] E. Verlinde, "On RG Flow and the Cosmological Constant", *Class. Quant. Grav.* **17** (2000) 1277-1285, Contributed to Strings 99, Potsdam, Germany, 19-25 Jul 1999, [hep-th/9912058](#)
- [120] E. Verlinde and H. Verlinde, "RG Flow, Gravity and the Cosmological Constant", *JHEP* **0005** (2000) 034, [hep-th/9912018](#)
- [121] E. Verlinde and H. Verlinde, "Scattering at Planckian Energies", *Nucl. Phys.* **B371** (1992) 246-268, [hep-th/9110017](#)
- [122] E. Verlinde and H. Verlinde, "High-Energy Scattering in Quantum Gravity", *Class. Quant. Grav.* **10** (1993) S175-S184, also in Erice 1992, Proceedings, *String quantum gravity and physics at the Planck energy scale* 262-272
- [123] H. Verlinde, "Holography and Compactification", *Nucl. Phys.* **B580** (2000) 264-274, [hep-th/9906182](#)
- [124] M. Welling, "Two particle Quantummechanics in 2+1 Gravity using Non Commuting Co-ordinates", *Class. Quant. Grav.* **14** (1997) 3313 [gr-qc/9703058](#)
- [125] E. Witten, "Anti De Sitter Space And Holography", *Adv. Theor. Math. Phys.* **2** (1998) 253-291, [hep-th/9802150](#)
- [126] E. Witten, remarks at ITP Santa Barbara conference "New dimensions in field and string theory", http://www.itp.ucsb.edu/online/susy_c99/discussion/