

# Index

- $\eta$ -scale, xii  
 $\omega$ -scale, xii  
örtlich verschieden, 127  
*Addenda and Corrigenda*, xiii, 119, 124, 130, 169, 225, 240, 267, 282  
*Begründung* papers, 70, 73, 111, 133, 170, 268, 284  
*Berliner Gastvorlesungen*, 92  
*Consciousness, Philosophy and Mathematics*, 224  
*De onbetrouwbaarheid der logische principes*, xvii  
*Die möglichen Mächtigkeiten*, xvii  
*Intuitionism and Formalism*, xvii, 39, 48, 56, 70, 115, 171, 267, 282  
*Kritik der reinen Vernunft*, 213, 217  
*Life, Art and Mysticism*, 52, 179, 187, 189, 196, 206  
*Points and Spaces*, 227  
*Rejected Parts*, xiii, 206  
*The Unreliability of the Logical Principles*, 225, 247  
*Wiener Gastvorlesungen* (Vienna lectures), 41, 42, 73, 103, 128, 182, 267, 284  
*Will, Knowledge and Speech*, 45, 46, 182, 183, 191  
*Wiskunde, Waarheid en Werkelijkheid*, 247
- two acts of intuitionism, 326
- a priori, 214  
Abschnitt, 17  
acts of intuitionism
- first act, 57  
second act, 58  
actual infinite, xiii, 306, 319, 323, 326  
actually known, 85  
addition of natural numbers, 35  
aim of natural science, 186  
analytic functions (to describe nature), 185  
anschauliches Kontinuum, 65  
Anschauungsform, 52, 214  
anthropomorphisation of nature, 185  
apartness, 93  
Apollonius, 236, 241  
apriority, xiii, 210, 213, 214, 325  
arbitrary choice, 149  
arbitrary real number, 72  
Aristotle, 64, 69, 221  
assignment, 14  
associativity, 35  
Atten, M. van, 231  
axiom of choice, 18, 27  
axiomatic foundation, 227, 253  
axiomatic method, 255
- Barrau, J.A., xvii, 39–41, 61  
basic element, 21  
basic mathematical intuition, 55  
Bellaar-Spruyt, C., 245  
Bernstein, F., 2, 28, 29, 144, 284, 288  
Bernstein-Schröder theorem, 289  
Berry, G.G., 138  
Beth, E.W., 315  
BHK proof-interpretation, 225, 226, 234, 235, 240, 249  
Blaricum, xv

- Bolyai, J., 254  
 Bolzano, B., 2  
 Bolzano-Weierstrass theorem, xii, 64, 81–83, 324  
 Boole, G., 221  
 Borel, E., 27, 28, 33, 34, 49, 68, 84, 86, 92, 108, 109, 133, 148, 149, 151, 222, 249  
 branching method, 117, 155  
 Brouwer-Korteweg correspondence, xiii, xvi, 241  
 Brouwerian counterexamples, 249  
 building in a building, 232  
 building metaphor, 229, 240  
 Burali-Forti paradox, 30  
 Burali-Forti, C., 30, 265, 289, 305  
  
 Cantor set, 10, 95–97  
 Cantor topology, 12  
 Cantor, G., xiii, xvi, 1–18, 30, 37, 39, 40, 50, 65, 79, 88, 90, 92, 105, 108, 110, 123, 133, 137, 142, 144, 146, 159, 165, 168, 177, 247, 264  
 Cantor-Bendixson theorem, 9, 126  
 Cantor-Bernstein theorem, 12, 29, 289  
 Cantor-Dedekind correspondence, 3, 4  
 Cantor-Schoenflies topology, 28  
 Cantorian numbers, 61  
 Cantorsche Haupttheorem, 119  
 cardinal numbers  
   exponentiation of, 14  
   ordering of, 13  
   product of, 13  
   sum of, 13  
 cardinality, 3, 7  
 cardinality  
   denumerable, 273  
   denumerably infinite unfinished, xiii, 100, 137, 264, 266, 273, 325  
   finite, 273  
   of the continuum, 273  
 Carnap, R., 287  
  
 Carnot's principle, 204  
 Cauchy sequence, 14, 92, 123  
 causal attention, 46, 182  
 causal sequence, 54, 181, 183, 186  
 chain, 20, 37, 55  
 chance in nature, 177  
 choice sequence, 74, 109, 127, 131, 134, 154, 160, 326  
 commutativity, 35  
 complete induction, 20, 21, 33, 35, 222, 305  
 completion to a continuum, 120, 325  
 components of phenomena  
   accidental components, 207  
   essential components, 207  
 consistency proof, 34  
 continuity principle for natural numbers, 129  
 continuous functions (to describe nature), 185, 200  
 continuum, xiii, 44  
 continuum  
   as matrix, 89  
   definable, 84  
   definable points on it, 274  
   fictive, 84, 92  
   full, 63, 73, 74, 149  
   hypothesis, 9, 165  
   in the proper sense, 13  
   intuitive, 63, 71, 74, 84, 89  
   linear, 14, 70  
   mathematical, 24, 84, 88, 92  
   mathematical  
     of the first order, 24  
     of the second order, 24  
     of the third order, 25  
   measurable, 74, 81, 92  
   of time, 75  
   physical, 88, 89  
   practical, 92  
   problem, xii, xiii, 165  
   problem  
     solution in the dissertation, 166  
     solution in the notebooks, 174  
   reduced, 63, 74

- simulation of, 131
- continuum problem, 325
- contraction operation, 80
- counterexample, 121
- Couturat, L., xvi, 50, 107, 221, 222, 293, 304
- covering with a continuum, xii, 116, 325
- Cusanus, N., xi
- Dalen, D. van, 226, 245, 261
- Dedekind cut, 7, 9, 23, 36, 68, 69
- Dedekind infinite, 2, 20
- Dedekind, R., xiii, 2–4, 19, 29–31, 35, 50, 55, 88, 110, 159, 257, 293
- definition
  - extensional, 232
  - intensional, 232
- denumerable, 7
- denumerable infinity, 21
- denumerably infinite sets, 50
- denumerably unfinished, 129
- derivative of a pointset, 6
- Descartes, R., 38, 49, 54, 56
- diagonalization, 5, 275
- differentiability of functions in nature, 200
- Ding (object), 19
- distributivity, 35
- Du Bois-Reymond, P., 25
- ebene Punktmenge, 72
- Einstein, A., 209
- empirical judgement, 239
- empirical space, 53
- Epimenides, 291
- equivalence class, 7, 19
- equivalence of  $R_1$  and  $R_n$ , 5
- equivalent, 3
- Euclid, 64, 87, 132, 253
- everywhere dense, xii, 7, 37, 64, 79
- everywhere dense in itself, 37
- everywhere dense scale, 75, 324
- ex falso principle, 226, 227, 234
- existence
  - mathematical, 222
- existence of mathematical objects, 26, 132
- exponentiation
  - of cardinal numbers, 14
  - of natural numbers, 35
- Faraday, M., 186, 199, 220
- finished, 73, 322
- first intuitionistic period, 115
- flow of time, 63
- formalism, 33, 88
- Fréchet, M.R., 127
- Fraenkel, A., 74, 119, 264
- free creation (Brouwer), 46, 314
- freely constructed scale, 77
- Frege, G., 31, 34, 221, 223, 224
- freie Entwicklung (Cantor), 312
- freie Schöpfung (Dedekind), 313
- fundamental sequence, 91, 93
- fundamental sequence
  - limit of, 17
  - of the first order, 17
- Fundamentalreihe, 92
- Gödel's theorems
  - first incompleteness theorem, xiii, 261, 326
  - second incompleteness theorem, 257
- Gödel, K., 255, 259, 286, 304
- Galileo, 1, 190–192
- generation principles
  - first principle, 10
  - for ordinals, 10
  - second principle, 10
- genetic method, 255
- Goldbach conjecture, 258
- Groningen lectures, 37
- Grundelement, 21
- Hölder, O., 67
- Haalmeyer, B.P., 284
- Hardy, G.H., 284
- Heidelberg lecture, 255, 296, 297, 305, 307

- Heidelberger Congress, xiv  
 Heine-Borel theorem, 82  
 Hemmungsprinzip, 11, 265  
 Heyting, A., xviii, 74, 223, 225, 226, 233, 240, 260, 268, 284, 309  
 Hilbert's program, 298  
 Hilbert, D., 34, 87, 88, 136, 165, 168, 174, 226, 228, 237, 241, 247, 253, 255, 259, 296, 318  
 Hobbes, Th., xi  
 Huygens, Chr., 199  
 hypothetical judgement, xiii, 224, 230, 232, 325  
  
 infinite, 20  
 instrumentalism, 195  
 integers, 37, 45  
 internally dissected, 131  
 interpolation, 41, 43, 47  
 interval method, 5  
 intuited time, 34  
 intuition, 33  
 intuition of time, 181  
 intuitionism, 37, 49, 57, 115, 127, 133, 227, 311, 315  
 intuitionism  
   old form of, 49  
 intuitive Anfangskonstruktion der Mathematik, 74, 119  
  
 Jourdain, Ph.E.B., 27  
  
 Kant's concept of space, 52  
 Kant, I., 38, 49, 52, 62, 73, 74, 127, 128, 213, 215, 217  
 Kette, 20  
 Klein, F., 144, 152  
 Kolmogorov, A.N., 223, 225, 226, 233, 240  
 Kontinuum in eigentlichen Sinne, 13  
 Korteweg, D.J., xv, xvii, 56, 139, 140, 168, 179, 187, 190, 192, 195, 199, 206, 220, 224  
 Kronecker, L., 1  
  
 Lagrange, J.L., 205  
  
 law of progression, 76  
 laws of nature as laws of instruments, 193  
 Lebesgue, H., 49  
 lecture notes on set theory, 128  
 liar paradox, 287, 292  
 Lie, S., 241  
 limit point, 6  
 limitation principle, 11  
 linearly ordered point set, 6  
 linguistic building, 229  
 Lobatchevski, N.I., 87, 254  
 logicism, 33  
 Lorentz, H.A., 186, 204, 220  
  
 Mach's principle, 202  
 Mach, E., 33, 202  
 Maddy, P., 264  
 main theorem of arithmetic, 35, 36  
 Mannoury, G., xiii, xvii, 39, 41, 61, 69, 276, 279, 281  
 mathematical attention, 46, 182  
 mathematical object  
   intensional, 323  
 mathematical space, 52  
 mathematical view, 181, 186  
 mathematische Entität, 134  
 mathematische Probleme, 165  
 mathematisches Kontinuum, 65  
 mathematization of observation, 198  
 matrix for points, 34, 43, 47  
 Maxwell, J.C., 186, 194, 204, 220  
 McCarty, D.C., 272, 277  
 meaning of physical theories, 203  
 Menge, 3, 70, 129, 134  
 mental construction, 228  
 Meyer, F., 314  
 modes for set construction  
   first mode, 117  
   second mode, 120  
   third mode, 122  
 move of time, 57  
 multiplication of natural numbers, 35  
  
 Nauheim conference, 68

- negative definitions, 124, 125
- negative integers, 48
- neo-intuitionism, 48, 49
- nested intervals, 72
- Newton, I., 194, 199, 205, 209
- Noether, E., 29
- non-denumerable point set, 133
- notebooks, xiv
- numbers
  - commensurable, 23
  - definable irrational, 37
  - in practice unmeasurable, 101
  - incommensurable, 23
  - irrational, 23, 36
  - natural, 21, 37, 44, 70
  - natural, exponentiation of, 35
  - negative, 36
  - ordinal, 17, 21, 37, 50
  - rational, 22, 23, 36, 37, 46
  - real, 22
- object (Ding), 37
- objectivity, xiii, 210, 211, 325
- opposition from the floor, xvii
- order type, 15
- paradoxes, 18, 30
- Paris conference, 165
- Parson, Ch., 162
- partially unknown, 63, 77, 79, 322
- Pasch, M., 253
- Peano, G., 37, 88, 221, 305
- Peano-Russell logistics, 247, 289
- perfect spread, 63, 74
- petitio principii, 305
- physical law, 184
- physical practice, 194
- physical time, 34
- Planck, M., 204
- Plato, J. von, 249
- Plotinus, xi
- Poincaré, H., xiii, xvi, 2, 23, 33–35, 49, 50, 84, 88, 89, 132, 152, 180, 202, 204, 209, 217, 219, 222, 251, 293, 304, 318
- possible cardinalities, xiii
- possible point sets, xii, xiii
- potentially known, 85
- power set, 14
- prendre au hasard, 148, 149
- principium contradictionis, 236, 248
- principle of the excluded middle, 121
- principle of the excluded third, 118, 132
- Pringsheim, A., 185
- productive set, 286
- rational scale, construction of, 47
- real space, 52
- reine Verstandesbegriffe, 54
- Richard, J., 138, 265, 287
- Riemann, B., 254
- Robinson, A., 26
- role of logic, xiii, 325
- Rome lecture, xvii, 41, 42, 70, 105, 120, 170, 267, 268
- Russell paradox, 30, 142
- Russell, B., xvi, 30, 34, 50, 54, 91, 138, 180, 215, 218, 221–223, 250, 265, 290, 293, 304, 308
- Saint Paul, 292
- scale of integers, xii, 324
- scale of rationals, xii, 324
- Schoenflies, A., xiii, xiv, 2, 27, 28, 126, 130, 133, 135, 144, 161
- Schopenhauer, A., 73, 74, 128
- Schur, F., 87
- second number class, 18, 99, 145, 265, 273
- segment, 17
- set
  - Cantor, 95
  - closed, 12, 17
  - connected point set, 9
  - dense, 117
  - dense in itself, 12, 17
  - of the first kind, 6
  - of the reals, 71
  - of the second kind, 7
  - perfect, 9, 12, 17, 153
  - reducible, 9

- similar, 15
- simply ordered, 15
- well-ordered, 17
- set construction
  - modes for, 117
- sign, xii, 44, 56, 57, 324
- simply infinite system, 21
- Skolem-Löwenheim theorem, 238
- solipsism, 190, 211
- South African Journal of Science,
  - 57, 58
- space, 210
- space
  - apriority of, 52
  - objectivity of, 53
- species, 134
- split of the intervals, 75
- spoiling argument, 5, 275
- spread, 70, 71, 129, 326
- Stigt, W.P. van, 241
- syllogism, 245, 248
- symbols, 59
- synopsis of the notebooks, 252
- synthetic judgement a priori, 53
- System, 19
  
- Technische Hogeschool, Delft, 179
- tertium non datur, 121, 246, 248
- theses, 316
- time, 210
- time as the basic intuition of mathematics, 51
- time intuition, 55
- transient property, 212
- Troelstra, A.S., 226
- two-oneness, 49
- typeclass, 15
  
- unfinished mapping, 147, 271
- unity of continuous and discrete, 38
- universal spread, 74, 135
- unknown sequence, 160
- unreliability paper, 118, 121, 132, 141
- ur-intuition, xii, xiii, 34, 36, 38, 41, 49, 56, 74, 75, 214, 324
  
- Vahlen, T., 262
- value of an explanation, 207
- Van der Waals, J.D., 194, 199
- Vries, J. de, xvii, 311, 317, 320
  
- weak counterexample, 121, 249
- well-ordering, 17
- well-ordering theorem, 27
- Weyl, H., 65, 68, 73, 106
- Whitehead, A.N., 223
  
- Zeeman, P., 209
- Zermelo, E., xiii, 2, 27, 30, 104, 133, 289

